## In the claims:

### 1. (Currently amended)

A compound of Formula I:

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; n is 0 or 1; r is 0 or 1; s is 0 or 1; u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

### R<sup>1</sup> is selected from:

1) (C1-C6-alkylene)<sub>n</sub>(C-X)C1-C10 alkyl,

2) (C1-C6-alkylene)<sub>n</sub>(C=X)aryl,

3)  $(C_1-C_6-alkylene)_n(C=X)C_2-C_{10}-alkenyl,$ 

4)  $(C_1-C_6-alkylene)_n(C-X)C_2-C_{10}-alkynyl,$ 

5) (C1-C6-alkylene)n(C=X)C3-C8-cycloalkyl,

6) (C1-C6-alkylene)<sub>n</sub>(C=X)heterocyclyl,

- 7)  $(C_1-C_6-alkylene)_n(C=X)NR^cR^c$ ,
- 8) (C1-C6-alkylene)nSO2NReRe',
- 9) (C1-C6-alkylene)nSO2C1-C10 alkyl,
- 10) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>C2-C10 alkenyl,
- 11) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 12) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>-aryl,
- 13) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>-heterocyclyl,
- 14) (C1-C6-alkylene)nSO2-C3-C8-cycloalkyl,
- 15) (C1-C6-alkylene), P(-O)RdRd';
- <del>16) aryl;</del>
- 17) heterocyclyl; and
- 18) C<sub>1</sub>-C<sub>10</sub> alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> and R<sup>6</sup> are independently selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 3) C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, and
- 4) heterocyclyl,

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>7</sup>, R<sup>8</sup>, and R<sup>9</sup> are independently selected from:

- 1) H, <u>and</u>
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C2-C10-alkenyl,
- 5) C2-C10-alkynyl,
- 7) C1-C6-perfluoroalkyl,
- 8) C<sub>1</sub>-C<sub>6</sub> aralkyl,

- 9) C3-C8-cycloalkyl, and
- 10) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>; or

R<sup>4</sup> and R<sup>5</sup>, or R<sup>8</sup> and R<sup>9</sup>, attached to the same carbon atom are combined to form -(CH<sub>2</sub>)<sub>u</sub>-wherein one of the carbon atoms is optionally replaced by a moiety selected from O, S(O)<sub>m</sub>, N(R<sup>a</sup>)C(O), N(R<sup>b</sup>) and N(COR<sup>a</sup>);

R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- 14) oxo,
- 15) CHO, and
- 16) (N=O)R $^{12}$ R $^{13}$ , or
- 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>11</sup>;

R<sup>11</sup> is selected from:

1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,

- 2)  $O_r(C_1-C_3)$  perfluoroalkyl,
- 3)  $(C_0-C_6)$ alkylene- $S(O)_mR^a$ ,
- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8)  $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9)  $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10)  $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 13)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- $C(O)R^a$
- 15) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>,
- 16) C(O)H,
- 17) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 18)  $C(O)N(R^b)_{2}$ ,
- 19) S(O)<sub>m</sub>Ra, and
- 20)  $S(O)_2N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,

- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$ ,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>11</sup>, or

 $R^{12}$  and  $R^{13}$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from  $R^{11}$ ;

R<sup>14</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5)  $(C=O)_aO_b$  heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- 14) oxo,
- 15) CHO,
- 16)  $(N=O)R^{12}R^{13}$ , or
- 17)  $(C=O)_aO_bC_3-C_8$  cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>11</sup>;

R<sup>a</sup> is (C<sub>1</sub>-C<sub>6</sub>)alkyl, (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, aryl, or heterocyclyl, optionally substituted with one to three substituents selected from R<sup>14</sup>;

 $R^b$  is H,  $(C_1-C_6)$ alkyl, aryl, heterocyclyl,  $(C_3-C_6)$ cycloalkyl,  $(C=O)OC_1-C_6$  alkyl,  $(C=O)C_1-C_6$  alkyl or  $S(O)_2R^a$ , optionally substituted with one to three substituents selected from  $R^{14}$ ;

R<sup>c</sup> and R<sup>c</sup>' are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, optionally substituted with one, two or three substituents selected from R<sup>10</sup>, or R<sup>c</sup> and R<sup>c</sup>' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 3-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

Rd and Rd' are independently selected from: (C1-C6)alkyl, (C1-C6)alkoxy and NRb2, or

Rd and Rd' can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NRe, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R11;

Re is selected from: H and (C1-C6)alkyl; and

X is selected from O, NRe and S.

I:

2. (Currently amended) The compound according to Claim 1 of the Formula

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; n is 0 or 1; r is 0 or 1; s is 0 or 1; u is 2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

#### R<sup>1</sup> is selected from:

- 1)  $(C_1-C_6-alkylene)_n(C-X)C_1-C_{10}-alkyl,$
- 2) (C1-C6-alkylene)n(C-X)aryl,
- 3) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>(C-X)C<sub>2</sub>-C<sub>10</sub>-alkenyl,
- 4) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>(C=X)C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 5) (C1-C6-alkylene)n(C=X)C3-C8-cycloalkyl,
- 6) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>(C-X)heterocyclyl,
- 7)  $(C_1-C_6-alkylene)_n(C=X)NR^cR^c$ ,
- 8) (C1-C6-alkylene)nSO2NReRe2;
- 9) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub>-alkyl,
- 10) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>C2-C10-alkenyl,

- 11) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>C<sub>2</sub>-C<sub>10</sub>-alkynyl,
- 12) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>-aryl,
- 13) -- (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>-heterocyclyl,
- 14) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>-C3-C8-cycloalkyl,
- 15) (C1-C6-alkylene)nP(=O)RdRd';
- <del>16) aryl;</del>
- 17) heterocyclyl; and
- 18) -- C<sub>1</sub>-C<sub>10</sub> alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> and R<sup>6</sup> are independently selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 3) C3-C8 cycloalkyl, and

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>7</sup>, R<sup>8</sup>, and R<sup>9</sup> are independently selected from:

- 1) H, and
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C2-C10 alkenyl,
- 5) --- C2-C10-alkynyl,
- 6) C1-C6-perfluoroalkyl,
- 7) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 8) C3-C8-cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>; or

 $R^4$  and  $R^5$ , or  $R^8$  and  $R^9$ , attached to the same carbon atom are combined to form  $(CH_2)_{tt}$  wherein one of the carbon atoms is optionally replaced by a moiety selected from O,  $S(O)_{m}$ ,  $N(R^a)C(O)$ ,  $N(R^b)$  and  $N(COR^a)$ ;

## R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- 14) oxo,
- 15) CHO, and
- 16) (N=O)R12R13, or
- 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>11</sup>;

# R<sup>11</sup> is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3)  $(C_0-C_6)$ alkylene- $S(O)_mR^a$ ,
- 4) oxo,
- 5) OH,
- 6) halo,

- 7) CN,
- 8)  $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9)  $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10)  $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 13)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- $C(O)R^a$
- 15) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>,
- 16) C(O)H,
- 17) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 18)  $C(O)N(R^b)_2$ ,
- 19) S(O)<sub>m</sub>Ra, and
- 20)  $S(O)_2N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 7) aryl,
- 8)  $C_2$ - $C_{10}$  alkenyl,
- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$ ,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>11</sup>, or

R<sup>12</sup> and R<sup>13</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R<sup>11</sup>;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl;

 $R^b$  is H, (C1-C6)alkyl, aryl, heterocyclyl, (C3-C6)cycloalkyl, (C=O)OC1-C6 alkyl, (C=O)C1-C6 alkyl or  $S(O)_2R^a$ ;

R<sup>c</sup> and R<sup>c</sup> are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, optionally substituted with one, two or three substituents selected from R<sup>10</sup>, or

R<sup>c</sup> and R<sup>c</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>; and

Rd and Rd' are independently selected from: (C1-C6)alkyl, (C1-C6)alkoxy and NRb2, or

Rd and Rd' can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NRe, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R11;

Re is selected from: H and (C1-C6)alkyl; and

### X is selected from O, NRe and S.

### 3. (Currently amended)

The compound according to Claim 2 of Formula I:

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; n is 0 or 1; r is 0 or 1; s is 0 or 1; u is -2, 3, 4 or 5;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

#### R<sup>1</sup> is selected from:

1)  $(C_1-C_6-alkylene)_n(C-X)C_1-C_{10}-alkyl,$ 

2) (C1-C6-alkylene)n(C=X)aryl,

3) (C<sub>1</sub>-C<sub>6</sub>-alkylone)<sub>n</sub>(C-X)C<sub>2</sub>-C<sub>10</sub> alkenyl,

4)  $(C_1-C_6-alkylene)_n(C-X)C_2-C_{10}-alkynyl,$ 

5) (C1-C6-alkylene)<sub>n</sub>(C=X)C3-C8-cycloalkyl,

6)  $(C_1-C_6-alkylene)_n(C-X)$ heterocyclyl,

- 7)  $(C_1-C_6-alkylene)_n(C=X)NR^cR^c$ ,
- 8) (C1-C6-alkylene)nSO2NReRe2,
- 9) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub>-alkyl,
- 10) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>C2-C10 alkenyl,
- 11) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>C2-C10 alkynyl,
- 12) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>-aryl,
- 13) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>-heterocyclyl,
- 14) (C1-C6-alkylene)nSO2-C3-C8-cycloalkyl,
- 15) (C1-C6-alkylene), P(=O)RdRd<sup>2</sup>;
- <del>16) aryl;</del>
- 17) heterocyclyl; and
- 18) C<sub>1</sub>-C<sub>10</sub>-alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> and R<sup>6</sup> are independently selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub> aralkyl,
- 3) C3-C8-cycloalkyl, and
- 4) heterocyclyl.

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R10;

R<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup>, R<sup>7</sup>, R<sup>8</sup>, and R<sup>9</sup> are independently selected from:

- 1) H, <u>and</u>
- $C_1$ - $C_{10}$  alkyl,
- 3) aryl,
- 4) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 5) C2-C10 alkynyl,
- 6) C1-C6-perfluoroalkyl,
- 7) -- C<sub>1</sub>-C<sub>6</sub> aralkyl,
- 8) C3-C8-cycloalkyl, and

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>; or

 $R^4$  and  $R^5$ , or  $R^8$  and  $R^9$ , attached to the same carbon atom are combined to form -(CH<sub>2</sub>)<sub>tt</sub>-wherein one of the carbon atoms is optionally replaced by a moiety selected from O,  $S(O)_m$ ,  $N(R^a)C(O)$ ,  $N(R^b)$  and  $N(COR^a)$ ;

R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C<sub>2</sub>-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O<sub>b</sub>C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- -14) --- oxo,
- 15) CHO, and
- -16) (N=O)R $^{12}$ R $^{13}$ , or
  - 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one or more substituents selected from R<sup>11</sup>;

#### R<sup>11</sup> is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2)  $O_r(C_1-C_3)$  perfluoroalkyl,
- 3)  $(C_0-C_6)$ alkylene- $S(O)_mR^a$ ,

- 4) oxo,
- 5) OH,
- 6) halo,
- 7) CN,
- 8)  $(C=O)_rO_s(C_2-C_{10})$ alkenyl,
- 9)  $(C=O)_rO_s(C_2-C_{10})$ alkynyl,
- 10)  $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 11)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 12) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 13)  $(C=O)_TO_S(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- $C(O)R^a$ ,
- 15) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>
- 16) C(O)H,
- 17) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 18)  $C(O)N(R^b)_{2}$ ,
- 19) S(O)<sub>m</sub>Ra, and
- 20)  $S(O)_2N(R^b)_2$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6)  $C_1$ - $C_{10}$  alkyl,
- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,
- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,

- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$ ,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one or more substituents selected from R<sup>11</sup>, or

R<sup>12</sup> and R<sup>13</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one or more substituents selected from R<sup>11</sup>;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl;

Rb is H, (C1-C6)alkyl, aryl, heterocyclyl, (C3-C6)cycloalkyl, (C=O)OC1-C6 alkyl, (C=O)C1-C6 alkyl or S(O)<sub>2</sub>Ra;

R<sup>c</sup> and R<sup>c</sup> are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl or

R<sup>c</sup> and R<sup>c</sup>' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

Rd and Rd' are independently selected from: (C1-C6)alkyl, (C1-C6)alkoxy and NRb2, or

Rd and Rd'-can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NRe, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R11;

### Re is selected from: H and (C1-C6)alkyl; and

X is selected from O, NRe and S.

4. (Currently amended) The compound according to Claim 2 of the Formula II,

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein wherein:

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; r is 0 or 1; s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

#### R1 is selected from:

1) (C1-C6-alkylene)n(C=O)C1-C10 alkyl,

2) (C1-C6-alkylene)n(C=O)aryl,

3) (C1-C6-alkylene)<sub>n</sub>(C=O)C2-C10 alkenyl,

4)  $(C_1-C_6-alkylene)_n(C=O)C_2-C_{10}-alkynyl,$ 

5)  $(C_1-C_6-alkylene)_n(C=O)C_3-C_8-cycloalkyl,$ 

6) (C1-C6-alkylene)n(C=O)heterocyclyl,

- 7) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>(C=O)NR<sup>c</sup>R<sup>c</sup>,
- 8) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>NR<sup>6</sup>R<sup>6</sup>,
- 9) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 10) (C<sub>1</sub>-C<sub>6</sub>-alkylene)<sub>n</sub>SO<sub>2</sub>-aryl,
- 11) (C1-C6-alkylene)<sub>n</sub>SO<sub>2</sub>-heterocyclyl,
- 12) (C1-C6-alkyenel)<sub>n</sub>SO<sub>2</sub>-C3-C8-cycloalkyl,
- $(C_1-C_6-alkylene)_nP(=O)R^dR^{d'}$
- <del>14) aryl,</del>
- 15) heterocyclyl, and
- 16) C<sub>1</sub>-C<sub>10</sub>-alkyl;

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, alkylene, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> and R<sup>6</sup> are independently selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 3) C3-C8-eyeloalkyl, and
- 4) heterocyclyl,

said aryl, eycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

# $R^3$ , $R^4$ and $R^8$ are independently selected from:

- 1) H, <u>and</u>
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C2-C10-alkenyl,
- 5) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 6) C1-C6-perfluoroalkyl,
- 7) C<sub>1</sub>-C<sub>6</sub> aralkyl,
- 8) C3-C8-cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

# R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- <del>14) oxo,</del>
- 15) CHO, and
- 16) (N=O)R $^{12}$ R $^{13}$ , or
- 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

# R11 is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C2-C<sub>10</sub>)alkenyl,

- 8)  $(C_2-C_{10})$ alkynyl,
- 9)  $(C=O)_TO_S(C_3-C_6)$ cycloalkyl,
- 10)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11)  $(C=O)_{r}O_{s}(C_{0}-C_{6})$ alkylene-heterocyclyl,
- 12)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- 13)  $C(O)R^a$ ,
- 14) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>,
- 15) C(O)H,
- 16) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 17)  $C(O)N(R^b)_2$ ,
- 18)  $S(O)_mR^a$ , and
- 19)  $S(O)_2N(R^b)_2$ ;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R<sup>12</sup> and R<sup>13</sup> are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6)  $C_1$ - $C_{10}$  alkyl,
- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,
- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$ ,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R<sup>11</sup>, or

 $R^{12}$  and  $R^{13}$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from  $R^{11}$ ;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl;

Rb is H, (C1-C6)alkyl, aryl, heterocyclyl, (C3-C6)cycloalkyl, (C=O)OC1-C6 alkyl, (C=O)C1-C6 alkyl or S(O)<sub>2</sub>R<sup>a</sup>;

 $R^c$  and  $R^c$ ' are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl; or  $R^c$  and  $R^c$ ' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from  $R^{11}$ ;

Rd and Rd' are independently selected from: (C1-C6)alkyl, (C1-C6)alkoxy and NRb2, or

Rd and Rd² can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NRe, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R¹¹; and

Re is selected from: H-and (C1-C6)alkyl.

5. (Currently amended) A compound of the Formula III,

$$R^{10'}$$
  $R^4$   $R^3$   $R^{10'}$   $R^4$   $R^3$   $R^2$   $R^8$   $R^1$   $R^8$   $R^1$   $R^1$ 

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; r is 0 or 1; s is 0 or 1;

a dashed line represents an optional double bond, provided that one and only one double bond is present in the ring;

## R1 is selected from:

1) (C=O)C<sub>1</sub>-C<sub>10</sub> alkyl,

2) (C=O)aryl,

3) (C=O)C<sub>2</sub>-C<sub>10</sub> alkenyl,

4) (C=O)C<sub>2</sub>-C<sub>10</sub> alkynyl,

5) (C=O)C3-C8-cycloalkyl,

6) (C=O)heterocyclyl,

 $(C=O)NR^{c}R^{c}$ 

8) SO<sub>2</sub>NReRe';

9) SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,

10) SO<sub>2</sub>-aryl,

11) SO<sub>2</sub>-heterocyclyl,

12) SO<sub>2</sub>-C<sub>3</sub>-C<sub>8</sub> cycloalkyl, and

 $P(=O)RdRd^2$ 

said alkyl, aryl, alkynyl, cycloalkyl, heteroaryl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> is selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 3) C3-C8-cycloalkyl, and
- 4) heterocyclyl,

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>3</sup>, R<sup>4</sup> and R<sup>8</sup> are independently selected from:

- 1) H, and
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 3) aryl,
- 4) C2-C10 alkenyl,
- 5) C2-C10 alkynyl,
- 6) C<sub>1</sub>-C<sub>6</sub>-perfluoroalkyl,
- 7) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 8) C3-C8-cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,

- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- 14) oxo,
- 15) CHO, and
- 16) (N=O)R12R13, or
- 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

# R10' is halogen;

#### R<sup>11</sup> is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7)  $(C_2-C_{10})$ alkenyl,
- 8) (C2-C<sub>10</sub>)alkynyl,
- 9)  $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 12)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- 13)  $C(O)R^a$ ,
- 14) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>
- 15) C(O)H,
- 16) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H, and
- 17)  $C(O)N(R^b)_2$ ,

- 18)  $S(O)_mR^a$ , and
- 19)  $S(O)_2N(R^b)_2$ ;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,
- 9) C<sub>2</sub>-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R<sup>11</sup>, or

 $R^{12}$  and  $R^{13}$  can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from  $R^{11}$ ;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl;

Rb is H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl, (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl, (C=O)OC<sub>1</sub>-C<sub>6</sub> alkyl, (C=O)C<sub>1</sub>-C<sub>6</sub> alkyl or S(O)<sub>2</sub>Ra;

R<sup>c</sup> and R<sup>c</sup>' are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl; or

 $R^c$  and  $R^c$ ' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from  $R^{11}$ ;

Rd and Rd' are independently selected from: (C1-C6)alkyl, (C1-C6)alkoxy and NRb2, or

Rd-and Rd'-can be taken together with the phosphorous to which they are attached to form a monocyclic heterocycle with 5-7 members the ring and optionally containing, in addition to the phosphorous, one or two additional heteroatoms selected from NR<sup>o</sup>, O and S, said monocyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>; and

Re is selected from: H and (C1-C6)alkyl.

6. (Currently amended) The compound according to Claim 4 of the Formula IV,

$$R^6$$
 $R^4$ 
 $R^3$ 
 $R^2$ 
 $R^8$ 
 $R^1$ 
 $R^1$ 

or a pharmaceutically acceptable salt or stereoisomer thereof, wherein

```
a is 0 or 1;
b is 0 or 1;
m is 0, 1, or 2;
r is 0 or 1;
s is 0 or 1;
```

### R<sup>1</sup> is selected from:

- 1) (C=O)C<sub>1</sub>-C<sub>10</sub> alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C3-C8 cycloalkyl,
- 4) (C=O)heterocyclyl,
- 5) (C=O)NRcRc',
- 6) (C=S)NReRe',
- 7)  $SO_2NReRe^2$ ,
- 8) SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,
- 9) SO<sub>2</sub>-aryl, and
- 10) SO<sub>2</sub>-heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

## R<sup>2</sup> is selected from:

- 1) aryl,
- 2) C1-C6-aralkyl,
- 3) C3-C8-cycloalkyl, and
- 4) heterocyclyl,

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

# R<sup>3</sup>, R<sup>4</sup> and R<sup>8</sup> are independently selected from:

- 1) H, <u>and</u>
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl, and
- 3) C<sub>1</sub>-C<sub>6</sub>-perfluoroalkyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R6 is selected from:

- 1) aryl,
- 2) C<sub>1</sub>-C<sub>6</sub>-aralkyl,
- 3) C3-C8-cycloalkyl, and
- 4) heterocyclyl,

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2)  $(C=O)_aO_baryl$ ,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- 14)  $-\infty$
- 15) CHO, and
- 16) (N=O)R $^{12}$ R $^{13}$ , or
- 17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

#### R<sup>11</sup> is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2)  $O_r(C_1-C_3)$  perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7)  $(C_2-C_{10})$ alkenyl,
- 8)  $(C_2-C_{10})$ alkynyl,
- 9)  $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11) (C=O)<sub>r</sub>O<sub>s</sub>(C<sub>0</sub>-C<sub>6</sub>)alkylene-heterocyclyl,
- 12)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- 13)  $C(O)R^a$ ,
- 14) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>.
- 15) C(O)H,
- 16) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 17)  $C(O)N(R^b)_2$ ,
- 18) S(O)<sub>m</sub>Ra, and
- 19)  $S(O)_2N(R^b)_2$ ;

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,
- 3) (C=O)O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C<sub>1</sub>-C<sub>10</sub> alkyl,

- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,
- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_{2}$

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R<sup>11</sup>, or

R<sup>12</sup> and R<sup>13</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

Ra is independently selected from: (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, and heterocyclyl;

 $R^b$  is independently selected from: H,  $(C_1-C_6)$ alkyl, aryl, heterocyclyl,  $(C_3-C_6)$ cycloalkyl,  $(C=0)OC_1-C_6$  alkyl,  $(C=0)C_1-C_6$  alkyl or  $S(0)_2R^a$ ; and

 $R^c$  and  $R^c$  are independently selected from: H,  $(C_1-C_6)$ alkyl, aryl, heterocyclyl and  $(C_3-C_6)$ cycloalkyl or

R<sup>c</sup> and R<sup>c</sup>' can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>.

7. (Currently amended) The compound according to Claim 6 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

#### R<sup>1</sup> is selected from:

- $(C=O)NR^{c}R^{c}$ ,
- 2) SO<sub>2</sub>NReRe', and
- 3) SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,

said alkyl, is optionally substituted with one, two or three substituents selected from R<sup>10</sup>;

#### R<sup>2</sup> is selected from:

- 1) aryl, and
- 2) heteroaryl,

said aryl and heteroaryl is optionally substituted with one or more substituents selected from R10;

## R<sup>3</sup>, R<sup>4</sup> and R<sup>8</sup> are independently selected from:

- 1) H, and
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl,

said alkyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

#### R6 is selected from:

- 1) aryl, and
- 2) heterocyclyl,

said alkyl, aryl and heterocyclyl is optionally substituted with one or more substituents selected from  $R^{10}$ ; and.

# R10, R11, R12, R13, Ra, Rb, Re and Re' are as described immediately above.

8. (Currently amended) The compound according to Claim 7 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

R<sup>2</sup> and R<sup>6</sup> are independently selected from are phenyl or pyridyl, optionally substituted with one or two substituents selected from R<sup>10</sup>; and .

R<sup>1</sup>, R<sup>3</sup>, R<sup>4</sup> and R<sup>8</sup> are as described in Claim 7.

# 9. (Cancelled)

10. (Currently amended) The compound according to Claim 5 of the Formula V,

wherein:

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; r is 0 or 1; s is 0 or 1;

#### R<sup>1</sup> is selected from:

1) (C=O)C<sub>1</sub>-C<sub>10</sub>-alkyl,

2)— (C=O)aryl,

3) (C=O)C<sub>3</sub>-C<sub>8</sub>-cycloalkyl,

4) (C=O)heterocyclyl,

 $(C=O)NR^{c}R^{c}$ ,

6) (C=S)NReRe';

7) SO<sub>2</sub>NReRe<sup>2</sup>,

8) SO<sub>2</sub>C<sub>1</sub>-C<sub>10</sub> alkyl,

9) SO<sub>2</sub>-aryl, and

10) SO<sub>2</sub>-heterocyclyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>2</sup> is selected from:

- 1) aryl,
- 2) C1-C6-aralkyl,
- 3) C3-C8-cycloalkyl, and
- 4) heterocyclyl,

said aryl, eyeloalkyl, aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>3</sup>, R<sup>4</sup> and R<sup>8</sup> are independently selected from:

- 1) H, <u>and</u>
- 2) C<sub>1</sub>-C<sub>10</sub> alkyl, and
- 3) C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,

said alkyl is optionally substituted with one or more substituents selected from R<sup>10</sup>;

R<sup>10</sup> is independently selected from:

- 1)  $(C=O)_aO_bC_1-C_{10}$  alkyl,
- 2) (C=O)<sub>a</sub>O<sub>b</sub>aryl,
- 3) C2-C<sub>10</sub> alkenyl,
- 4) C2-C<sub>10</sub> alkynyl,
- 5) (C=O)<sub>a</sub>O<sub>b</sub> heterocyclyl,
- 6) CO<sub>2</sub>H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) O<sub>b</sub>C<sub>1</sub>-C<sub>6</sub> perfluoroalkyl,
- 11)  $O_a(C=O)_bNR^{12}R^{13}$ ,
- 12)  $S(O)_m R^a$ ,
- 13)  $S(O)_2NR^{12}R^{13}$ ,
- <del>14) oxo,</del>
- 15) CHO, and
- 16) (N=O)R $^{12}$ R $^{13}$ , or

17) (C=O)<sub>a</sub>O<sub>b</sub>C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from  $R^{11}$ ;  $R^{10}$  is halogen:

### R<sup>11</sup> is selected from:

- 1)  $(C=O)_rO_s(C_1-C_{10})$ alkyl,
- 2) O<sub>r</sub>(C<sub>1</sub>-C<sub>3</sub>)perfluoroalkyl,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7)  $(C_2-C_{10})$ alkenyl,
- 8)  $(C_2-C_{10})$ alkynyl,
- 9)  $(C=O)_{r}O_{s}(C_{3}-C_{6})$ cycloalkyl,
- 10)  $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11)  $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 12)  $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$ ,
- 13)  $C(O)R^a$ ,
- 14) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>R<sup>a</sup>
- 15) C(O)H,
- 16) (C<sub>0</sub>-C<sub>6</sub>)alkylene-CO<sub>2</sub>H,
- 17)  $C(O)N(R^b)_2$ ,
- 18) S(O)<sub>m</sub>Ra, and
- 19)  $S(O)_2N(R^b)_2$ :

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, alkylene and heterocyclyl is optionally substituted with up to three substituents selected from R<sup>b</sup>, OH, (C<sub>1</sub>-C<sub>6</sub>)alkoxy, halogen, CO<sub>2</sub>H, CN, O(C=O)C<sub>1</sub>-C<sub>6</sub> alkyl, oxo, and N(R<sup>b</sup>)<sub>2</sub>;

# R12 and R13 are independently selected from:

- 1) H,
- 2)  $(C=O)O_bC_1-C_{10}$  alkyl,

- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C<sub>1</sub>-C<sub>10</sub> alkyl,
- 7) aryl,
- 8) C2-C<sub>10</sub> alkenyl,
- 9) C2-C<sub>10</sub> alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO<sub>2</sub>Ra, and
- 13)  $(C=O)NRb_2$ ,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from  $R^{11}$ , or

R<sup>12</sup> and R<sup>13</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>;

Ra is independently selected from: (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, and heterocyclyl;

Rb is independently selected from: H, (C1-C6)alkyl, aryl, heterocyclyl, (C3-C6)cycloalkyl, (C=O)OC1-C6 alkyl, (C=O)C1-C6 alkyl or S(O)<sub>2</sub>Ra; and

R<sup>c</sup> and R<sup>c</sup>' are independently selected from: H, (C<sub>1</sub>-C<sub>6</sub>)alkyl, aryl, heterocyclyl and (C<sub>3</sub>-C<sub>6</sub>)cycloalkyl or

R<sup>c</sup> and R<sup>c</sup> can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said

monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R<sup>11</sup>.

- 11. (Currently amended) A compound selected from:
- 4-(2-chloro-5-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (+)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (-)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2-fluoro-5-methylphenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(5-bromo-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- $4-\{[4-(5-chloro-2-fluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] carbonyl\} morpholine;\\$
- 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}morpholine;
- N,N-dimethyl-2,4-diphenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 3-[2-fluoro-5-(trifluoromethyl)phenyl] N,N-dimethyl-5-phenyl-2,3-dihydro-1H-pyrrole-1-carboxamide;
- 2-(3-fluorophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(4-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-2-(2-fluorophenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-(3-bromophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-(3-aminophenyl)-4-(2,5-difluorophenyl)- N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-methylphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4 (2,5 difluorophenyl) 1 (ethylsulfonyl) 2 phenyl 2,5 dihydro 1H pyrrole;
- 4 (2,5 difluorophenyl) 2 phenyl 1 (propylsulfonyl) 2,5 dihydro 1H-pyrrole;
- 4-(2,5-difluorophenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4 (5 chloro 2 fluorophenyl) 1 (methylsulfonyl) 2 phenyl 2,5 dihydro 1H pyrrole;
- 4 (5-chloro-2-fluorophenyl) 1 (isopropylsulfonyl) 2 phenyl 2,5 dihydro-1H-pyrrole;
- 4-(2-fluoro-5-methylphenyl)-1-(isopropylsulfonyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}ethanamine;
- 2-{[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro-1H-pyrrol-1 yl]sulfonyl} N,N-dimethylethanamine;

- 1-acetyl-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4 (2 chloro-5-fluorophenyl)-1-pivaloyl-2-phenyl-2,5-dihydro-1H-pyrrole;
- 4-(2-chloro-5-fluorophenyl) 1-isobutyryl 2-phenyl 2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-1-(2,2-dimethylpropanoyl)-2-phenyl-2,5-dihydro-1H-pyrrole;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;
- 1-[4-(5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-methyl-1-oxopropan-2-ol;
- 1-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
- 4-(2-fluoro-5-isocyanophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;
- 4-(5-chloro-2-fluorophenyl)-2-phenyl-1-(trifluoroacetyl)-2,5-dihydro-1H-pyrrole;
- (1S) 1 -{[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl]carbonyl} -2 methylpropylamine;
- (1R) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2 methylpropylamine;
- 4-(2,5-difluorophenyl)-2-phenyl-1-L prolyl-2,5-dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl) 2-phenyl-1-D-prolyl-2,5-dihydro-1H-pyrrole;

(4R) 4 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 1,3 thiazolidine;

methyl (3S) 3 amino 4 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 4 oxobutanoate;

(4S) 4 amino 5 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 5 oxopentanamide;

(1S) 1-{[4-(2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1H pyrrol-1-yl]carbonyl}-3-(methylthio)propylamine;

(1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 3-(methylsulfonyl)propylamine;

(2S) 2-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 2 oxo 1 (thien 2 ylmethyl)ethylamine;

4 {[4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H pyrrol-1 yl]carbonyl}-1,1 dioxidotetrahydro-2H thiopyran 4 ylamine;

(2S) 1-[4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] N-methyl 1-oxopropan 2-amine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} propylamine;

(1S) 2-[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 oxo 1 phenylethanamine;

- (1S) 2-[4-(2,5 difluorophenyl) 2 phonyl-2,5 dihydro 1H-pyrrol-1-yl]-2 oxo-1-phonylethanamine;
- (4S) 4 amino 5 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 5 exopentanamide
- 3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;
- (1S,2S) 1 {[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl]carbonyl} 2-methylbutylamine;
- (1S) 1-{[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} butylamine;
- (1S) 1 cyclopropyl 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethanamine;
- 1-{[4-(2,5-difluorophenyl)-2 phenyl-2,5 dihydro-1H-pyrrol-1-yl]carbonyl}cyclopropanamine;
- 1-[4-(2,5-difluorophenyl) 2-phonyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxopropan-2-amine;
- (1S) 2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-methyl-2-oxoethylamine;
- (1S) 2 [4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2 oxo 1 (pyridin 2-ylmethyl)ethylamine;
- (1S) 1-cyclohexyl 2 [4 (2,5-difluorophenyl) 2-phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2-oxoethanamine;
- (1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 1 (4 iodobenzyl) 2 oxoethylamine;
- (1S) 1-benzyl 2 [4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethylamine;
- 4-{(2S) 2-amino-3-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl}phenol;

(3S) 3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,2,3,4-tetrahydroisoquinoline;

(1S) 1-{[4-(2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl} 3-phenylpropylamine;

(1S) 1-{[4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro 1H-pyrrol-1-yl]carbonyl}-3-methylbutylamine;

(1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 2 oxo 1 (pyridin 3-ylmethyl)ethylamine;

1-[(2S)-azetidin-2-ylcarbonyl] 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrole;

(3S) 3-amino 4 [4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 4-oxobutanamide;

4 (2,5 difluorophenyl) 1 [(2S) 2,5 dihydro 1H-pyrrol 2 ylcarbonyl] 2 phenyl 2,5 dihydro 1H-pyrrole;

4 (2,5 difluorophenyl) 1 [(2 methylazetidin 2 yl)carbonyl] 2 phenyl 2,5 dihydro 1H pyrrole;

(1S) 1-{[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;
methyl (4S) 4-amino-5-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 5-oxopentanoate;

4 (2,5 difluorophenyl) 2 phenyl-1 {[(2S,3S) 2 phenylpyrrolidin-3 yl]carbonyl} 2,5 dihydro-1H-pyrrole;

4-(2,5 difluorophenyl) 2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5 dihydro-1H-pyrrole;

(2S) 2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-ol;

(2R,3S) 3 amino 4 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 4 oxobutan 2-ol;

(1S) 2-[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 1-(methoxymethyl) 2-oxoethylamine;

4-(2,5 difluorophenyl) 2 phenyl 1 (pyrrolidin-3 ylcarbonyl) 2,5 dihydro-1H-pyrrole;

4-(2,5-difluorophenyl)-2-phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-difluoropropylamine;

(1S) 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 3 oxo 1-phenylpropan 1-amine;

4-(2,5-difluorophenyl) 2 phenyl-1-[(4S) 4 phenyl-L prolyl]-2,5-dihydro-1H-pyrrole;

1-{2-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-cyclohexanamine;

2-[4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2 oxoethanamine; 4-{[4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl]carbonyl}piperidin 4 amine;

(1S,3R)-3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1R,4S) 4 {[4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H-pyrrol-1-yl]carbonyl} cyclopent-2 en 1-amine;

(1S,4R) 4 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} cyclopent 2 en 1 amine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-ynylamine;

(1R) 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 3 oxo 1 phenylpropan 1 amine;

3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]earbonyl}-2-phenylpiperidine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-enylamine;

(2S) 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 2 (methylamino) 3 oxopropan 1-ol;

(3R,5S) 5 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl]carbonyl}pyrrolidin 3-ol;

(1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo 1 (1,3 thiazol 4 ylmethyl)ethylamine;

(1R) 1-{[4-(2,5 difluorophenyl) 2-phenyl-2,5 dihydro-1H pyrrol-1-yl]carbonyl}but-3-enylamine; (2S) 1-[4-(2,5 difluorophenyl) 2-phenyl-2,5 dihydro-1H pyrrol-1-yl]-N,3 dimethyl-1-oxobutan-2-amine;

(2S) 1-[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;

(1S) 2-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-oxoethylamine;

4-(2,5-difluorophenyl) 1-(N-6--formyl L lysyl) 2-phenyl 2,5-dihydro 1H-pyrrole;

- (2S,3S) 1 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] N,3 dimethyl 1-oxopentan 2 amine;
- (1S) 1 (cyclohexylmethyl) 2 [4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro 1H pyrrol 1 yl] 2 oxoethylamine;
- (1S) 2-[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]-1 (1H-indol-3-ylmethyl) 2-oxoethylamine;
- (1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 1 (isocyanomethyl) 2 oxoethylamine;
- (1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} -3,3 dimethylbutylamine;
- 1-[4 (2,5 difluorophenyl) 2-phenyl-2,5 dihydro-1H-pyrrol-1 yl] 2,3 dimethyl-1-oxobutan-2-amine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;
- (1S) 3 (benzyloxy) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} propylamine;
- 1 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,3 dimethyl 1 oxobutan 2 amine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}eyclopent-3-en-1-amine;

- (1S) 1 cyclopentyl 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethanamine;
- 4-(2,5-difluorophenyl) 1-(2-methylprolyl) 2-phenyl 2,5-dihydro-1H-pyrrole;
- 1-[4-(5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
- (1S) 1-{[4 (5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylpropylamine;
- (1S) 2 [4 (5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 1-cyclopropyl-2-oxoethanamine;
- (1S,2S) 1 {[4 (5 chloro 2 fluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2 methylbutylamine;
- (1S) 1-{[4 (5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;
- (1S) 1-{[4 (5 chloro 2 fluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 3,3-dimethylbutylamine;
- (1S) 1-{[(2S) 4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;
- (1S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2 methylpropylamine;
- (1S) 1-cyclohexyl-2 [(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethanamine;

- (1S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl]carbonyl} but 3-enylamine;
- (1S) 1 -{[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 -yl]carbonyl} but 3 ynylamine;
- (1S) 1 benzyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2 exoethylamine;
- (1S) 1-cyclopropyl 2 [(2S) 4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethanamine;
- 1-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;
- (1S) 1 {[(2S) 4 (5 chloro 2 fluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} -2,2-dimethylpropylamine;
- (1S) 1-{[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl} pentylamine;
- (1S) 1 {[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl]carbonyl} 3-methylbutylamine;
- (1S) 1-{[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;
- 1 cyclopropyl 3 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 3-oxopropan 1-amine;
- (1S) 2-[(2S) 4-(5-chloro-2-fluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 1-cyclopropyl-2-oxoethanamine;

(1S) 1-{[(2S) 4-(5-chloro-2-fluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl} 2-methylpropylamine;

(1S,2S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2 methylbutylamine;

4 (5 chloro 2 fluorophenyl) 2 (3 hydroxyphenyl) 1 (2 methylalanyl) 2,5 dihydro 1H-pyrrole;

(2S) 4 (5 chloro 2 fluorophenyl) 2 (3 hydroxyphenyl) 1 (2 methylalanyl) 2,5 dihydro 1H-pyrrole;

4-(2,5 difluorophenyl)-2-(3-hydroxyphenyl)-1-L-valyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro 2-fluorophenyl) 2-(3-hydroxyphenyl) 1-L-valyl-2,5-dihydro-1H-pyrrole;

(2S) 4 (5 chloro-2 fluorophenyl) 2 (3 hydroxyphenyl) 1 L valyl 2,5 dihydro 1H pyrrole;

4-(2,5-difluorophenyl) 2-(3-hydroxyphenyl) 1-(2-methylalanyl) 2,5-dihydro-1H-pyrrole:

3-[1-[(2S) 2-amino 2 cyclopropylethanoyl] 4 (5-chloro 2-fluorophenyl) 2,5-dihydro 1H pyrrol-2-yl]phenol;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-isoleucyl-2,5-dihydro-1H-pyrrole;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-1-L-norleucyl-2,5-dihydro-1H-pyrrole;

(2S) 4 (5 chloro 2 fluorophenyl) 2 (3 hydroxyphenyl) 1 (3 methyl L valyl) 2,5 dihydro 1H-pyrrole;

(2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- (2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3S)-1-methylpyrrolidin-3-yl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(3R)-1-methylpyrrolidin-3-yl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

allyl 4-[{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]piperidine-1-carboxylate;

allyl 4-{[{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]methyl}piperidine-1-carboxylate;

(2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

N-benzyl-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-isobutyl-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-N-(2-methoxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-(2,3-dihydroxypropyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-phenylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-phenyl-N-propyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 1 Acetyl 4 (2,5 difluorophenyl) 2 methyl 2 phenyl 2,5 dihydro 1H pyrrole;
- (2S) 1 [4 (2,5 difluorophenyl) 2 methyl 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 3 methyl 1-oxobutan 2 amine;
- (2S)-4-(2,5-difluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N,N,2-trimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-ethyl-2-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S) 1-[(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol-1-yl]-3,3 dimethyl-1-oxobutan 2-ol;

(2S) 1 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 3 methyl 1 oxobutan 2-ol;

(2S,3S) 1 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 3 methyl 1 exopentan 2 ol;

1-[(2S) 4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 1-oxohexan-2-ol;

(2S) 1 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 1 oxo 3 phenylpropan 2 ol;

(2S) 1-[4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl] 4-methyl-1-oxopentan-2-ol;

(1S) 1-cyclohexyl-2-[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethanol;

(2S) 1 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 3,3 dimethyl 1 oxobutan-2 ol;

N-1-{(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-methylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} glycinamide;

N-1-{(1S) 1 cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} glycinamide;

N-1-{(1S) 1 tert-butyl-2 [(2S) 4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1 yl]-2-oxoethyl} N-2,N-2-dimethylglycinamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide, N-oxide;

N-1-{(1S)-1-tert-butyl-2-{(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-methylalaninamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-,N-2-dimethylglycinamide-n-oxide;

N-{(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2-oxoethyl} 2 pyrrolidin 1 ylacetamide;

2 azetidin 1 yl N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 oxoethyl} acetamide;

N-{(1S) 1 cyclopropyl 2-[(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2 exoethyl} 2 morpholin 4 ylacetamide;

N {(1S) 1 cyclopropyl-2-[(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1 yl] 2 oxoethyl} 2 piperazin 1 ylacetamide;

N-{(1S) 1 cyclopropyl-2 [(2S) 4-(2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H-pyrrol-1-yl] 2-oxoethyl} 2 (4-methylpiperazin-1-yl)acetamide;

2 azetidin 1 yl N {(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 oxoethyl}acetamide;

N {(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 pyrrolidin 1 ylacetamide;

N {(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 piperidin 1 ylacetamide;

N {(1S) 1 tert butyl 2-[(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethyl} 2 morpholin 4 ylacetamide;

N-1-{(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-(2-hydroxyethyl)glycinamide;

N {(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 (4 methylpiperazin 1 yl)acetamide;

N 1 {(1S) 1 cyclopropyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} N 2 isopropylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}acetamide;

N-1-{(1S)-1-tert butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2-ethylglycinamide;

N-{(1S)-1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-exoethyl}-2-hydroxyacetamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}piperazine-1-carboxamide;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} N' piperidin 4 ylurea;

4 amino N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} piperidine 1 carboxamide;

N (2-aminoethyl) N' {(1S) 1-cyclopropyl 2 [(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol 1-yl] 2-oxoethyl} urea;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} N' (3 morpholin 4 ylpropyl)urea;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} N' [2 (dimethylamino)ethyl]urea;

2-azetidin 1-yl N {(1S) 1-cyclopropyl 2 [(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1H-pyrrol 1-yl] 2-oxoethyl} ethanesulfonamide

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 (isopropylamino)ethanesulfonamide;

N-{(1S) 1 cyclopropyl-2-[(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H-pyrrol-1-yl] 2-oxoethyl}-2 pyrrolidin-1-ylethanesulfonamide;

N-{(1S) 1 cyclopropyl 2 [(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1 yl] 2-oxoethyl} 2 morpholin 4 ylethanesulfonamide;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} 2 piperazin 1 ylethanesulfonamide;

N-{(1S)-1-cyclopropyl-2-[(2S) 4 (2,5-difluorophenyl) 2 phenyl-2,5 dihydro-1H-pyrrol 1-yl]-2-oxoethyl}-2-(4-methylpiperazin-1-yl)ethanesulfonamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide; 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide; (2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole; (2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole; 4-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholine; 1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}piperazine; 1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}-4methylpiperazine; 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylbutanamide; 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine: 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide; N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide; 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide: N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide; 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide; 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide: N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;

- 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] N ethyl 2,2 dimethyl 4 oxobutanamide;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,2 dimethyl 4 oxo N piperidin 4 ylbutanamide;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,2 dimethyl 4 oxobutanoic acid;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] N,N,2,2 tetramethyl 4 oxobutanamide;
- (1S) 1-{[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethyl-3 oxo-3-piperazin-1-ylpropylamine;
- (3S) 3-amino 4 [(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] N-isopropyl 2,2-dimethyl 4-oxobutanamide;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] N,2,2 trimethyl 4 oxobutanamide;
- (3R) 3 amino 4-[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] N,N,2,2 tetramethyl 4 oxobutanamide:
- (3R) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,2 dimethyl 4 oxobutanoic acid;
- (1R) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2,2 dimethyl 3 oxo 3 piperazin 1 ylpropylamine;

2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-ethylacetamide;

2 ({(1S) 1 tert butyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl) amino) N methylacetamide;

2 ({(1S) 1 tert butyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2 oxoethyl}amino) N,N dimethylacetamide;

2 ({(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exeethyl}amino) N methyl N ethylacetamide;
2 ({(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2

execthyl) amine) N-methylacetamide;

2-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino) N-ethylacetamide;

2-({(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino) N,N dimethylacetamide;

2-({(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-isopropylacetamide;

2 ({(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl amino) N ethyl N methylacetamide;

2 ({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino) N,N-diethylacetamide;

(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo-N (2 oxo 2 pyrrolidin 1 ylethyl)ethanamine;

- (1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] N (2 morpholin 4 yl 2 oxoethyl) 2 oxoethanamine;
- 1-[({(1S) 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethyl}amino)acetyl]piperidin 4-ol;
- (1S) 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] N [2-(4-methylpiperazin-1-yl) 2-oxoethyl] 2-oxoethanamine;
- (1S) N (2-azetidin 1-yl-2-oxoethyl) 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethanamine;
- (1S) 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol 1-yl] N-[2-(1,1-dioxidothiomorpholin 4-yl) 2-oxoethyl] 2-oxoethanamine;
- (1S) N [2-(4-acetylpiperazin-1-yl) 2-oxoethyl] 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethanamine;
- (1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] N (2 morpholin 4 yl 2 oxoethyl) 2 oxoethanamine;
- (1S) 1-tert-butyl 2 [(2S) 4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxo-N-(2-oxo-2-pyrrolidin-1-ylethyl)ethanamine;
- 2-({(1S)-1-tert-butyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}amino)-N-isopropylacetamide;
- 2-(dimethylamino)ethyl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;
- 1-methylpiperidin-4-yl (1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylcarbamate;

- (2S) 4-cyclopropyl N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S) 4 cyclopentyl N,N dimethyl 2 phenyl 2,5 dihydro 1H pyrrole 1 carboxamide;
- (1S) 1-cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethyl 4-methylpiperazine 1-carboxylate;

1-cyclopropyl 2-[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol 1-yl] 2-oxoethyl2-morpholin 4-ylethylcarbamate;

N [({(1S) 1-cyclopropyl 2 [(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1 yl] 2-oxoethyl}oxy) carbonyl]glycine;

- (1S) 1-cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2-oxoethyl 1 methylpiperidin 4 ylcarbamate;
- (1S) 1-cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethylmethyl(1-methylpiperidin 4-yl)carbamate;
- (1S) 1-cyclopropyl 2 [(2S) 4-(2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethyl4-dimethylamino)piperidine 1-carboxylate;

tert butyl (2S) 4-(2 chloro-5 fluoropyrimidin-4-yl) 2 phenyl-2,5 dihydro-1H-pyrrole-1-carboxylate;

- (2S) 4 (5 fluoro 2 methylpyrimidin 4 yl) N,N dimethyl 2 phenyl 2,5 dihydro 1H pyrrole 1 carboxamide;
- (2S) 4 (2 chloro 5 fluoropyrimidin 4 yl) N,N dimethyl 2 phenyl 2,5 dihydro 1H pyrrole 1-carboxamide;

- (2S) 4 (4 chloro 5 methylpyrimidin 2 yl) N,N dimethyl 2 phenyl 2,5 dihydro 1H pyrrole 1 carboxamide;
- (2S) 4-(6-chloropyrimidin-4-yl) N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S) 4 (2 chloropyrimidin 4 yl) N,N dimethyl 2 phenyl 2,5 dihydro 1H pyrrole 1 carboxamide;
- (2S) N,N dimethyl 4 (4 methylpyridin 3 yl) 2 phonyl 2,5 dihydro 1H pyrrole 1 carboxamide;
- (2S) N,N-dimethyl 2 phenyl 4 (1,3 thiazol 2-yl) 2,5 dihydro 1H pyrrole 1 carboxamide;
- (2S) N,N-dimethyl-2-phenyl-4 (1,3 thiazol-4-yl)-2,5-dihydro 1H-pyrrole-1-carboxamide;
- (2S) N,N-dimethyl 2-phenyl-4 (1,2-thiazol-5-yl) 2,5-dihydro-1H-pyrrole-1-carboxamide; 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-(2-hydroxyethyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- N-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-N-methyl-beta-alanine;
- methyl N-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-N-methyl-beta-alaninate;
- 4-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholin-4-ium;

- 3-[(2S)-4-(2,5-difluorophenyl)-1 (2-hydroxy-2-methylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 4-(2,5-difluorophenyl) 2 (3-hydroxyphenyl) N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-sulfonamide;
- 3-[4-(2,5-difluorophenyl)-1-(methylsulfonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 3-[4-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- 3-[4-(2,5-difluorophenyl)-1 (2,2-dimethylpropanoyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol;
- (2S) 4 (2,5-difluorophenyl)-1-[(methylsulfonyl)acetyl]-2-phenyl-2,5-dihydro-1H-pyrrole;
- (2S) 4 (2,5 difluorophenyl) 2 phenyl 1 [(phenylsulfonyl)acetyl] 2,5 dihydro 1H-pyrrole;
- 3-[(2S) 1-[(2S) 2-cyclopropyl-2-hydroxyethanoyl] 4 (2,5-difluorophenyl) 2,5-dihydro-1H-pyrrol 2-yllphenol;
- 3-{(2S)-4-(2,5-difluorophenyl)-1-[(2S)-2-hydroxy-3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;
- (1S) 1-cyclopropyl-2 [(2S) 4-(2,5 difluorophenyl) 2-phenyl-2,5 dihydro-1H-pyrrol-1-yl]-2-oxoethanol;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yllphenol;

```
4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
```

4-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]piperidinium trifluoroacetate;

2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl 4-methylpiperazine-1-carboxylate;

3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;

2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl morpholine-4-carboxylate;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl dimethylaminocarboxylate;

2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl piperidine-1-carboxylate;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

- 4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethanesulfonic acid;
- 2-hydroxyethyl (1S) 1-{[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl} -2,2-dimethylpropylcarbamate;
- 3-hydroxypropyl (1S) 1-{[(2S) 4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate;
- 2-hydroxyethyl-{(1S)-1-isopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate;
- 2 hydroxyethyl {(1S)-1-cyclopropyl 2 [(2S)-4-(2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate;
- 4 hydroxybutyl (1S) 1 -{[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2,2 dimethylpropylcarbamate;
- (2S) 4 (2,5 difluorophenyl) 1 [2 (methylsulfonyl)ethyl] 2 phenyl 2,5 dihydro-1H-pyrrole;

- (2S) 4-(2,5-difluorophenyl) 1-[2-(ethylsulfonyl)ethyl] 2-phenyl-2,5-dihydro-1H-pyrrole;
- 1 [(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro 1H pyrrol-1 yl]pentan-3 one;
- 4-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butan-2-one;
- 4-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] 3-methylbutan 2-one;
- 2-[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1*H*-pyrrol-1-yl] *N,N*-dimethylethanesulfonamide;
- 3 {(2S) 4 (2,5 difluorophenyl) 1 [2 (methylsulfonyl)ethyl] 2,5 dihydro 1H pyrrol 2 yl}phenol;
- methyl 3-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoate;
- (2S) 4 (2,5-difluorophenyl) 1-[2-(ethylsulfonyl)propyl] 2-phenyl-2,5-dihydro-1*H*-pyrrole;
- 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;
- 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N-dimethylpropanamide;
- 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,N,2-trimethylpropanamide;
- 4-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
- 1-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine;
- $1-\{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]$  propanoyl} piperidin-4-ol;
- methyl 3-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol-1-yl]propanoate;
- 2-({(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}oxy) N-ethylacetamide;
- 4-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine;

- 2-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethoxy} N (2-hydroxyethyl)acetamide;
- 1-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)-4-methylpiperazine;
- 1 ({(1S)-1 cyclopropyl-2 [(2S)-4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1*H*-pyrrol-1-yl] 2-oxoethoxy} acetyl)piperazine;
- 2-{(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exeethexy} N piperidin 4 ylacetamide;
- 1-({(1S)-1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperidin-4-amine;
- N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exeethyl} 3 morpholin 4 yl 3 exeptopan 1 amine;
- $N^3$ -{(1S) 1-cyclopropyl 2-[(2S) 4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro-1*H*-pyrrol-1-yl] 2-oxoethyl}  $N^1$ , $N^1$ -dimethyl  $\beta$ -alaninamide; and
- ((1S) 1-{[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropyl)(3-morpholin-4-yl-3-oxopropyl)amine;

or a pharmaceutically acceptable salt or stereoisomer thereof.

- 12. (Currently amended) The compound according to Claim 11 which is selected from:
- (-)-4-(2,5-difluorophenyl)-N,N-dimethyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(5-chloro-2-fluorophenyl)-N, N-dimethyl-2-phenyl-2, 5-dihydro-1H-pyrrole-1-carboxamide;
- 4 (2,5 difluorophenyl) 1 (isopropylsulfonyl) 2-phenyl 2,5 dihydro 1H-pyrrole;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-ol;

- 1-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol 1-yl]-2-methyl-1-oxopropan-2-amine;
- (1S) 1-{[(2S) 4 (2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine; and
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

or a pharmaceutically acceptable salt or stereoisomer thereof.

- 13. (Currently amended) The compound according to Claim 11 which is selected from:
- (1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethanamine;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (1S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl}-2,2 dimethylpropylamine;
- 2 ({(1S) 1 tert butyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl}amino) N ethylacetamide;
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N,N-dimethyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-N-(1-methylpiperidin-4-yl)-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide; and
- (2S) 4 (2,5-difluorophenyl) 2 (3-hydroxyphenyl) 1-L valyl-2,5-dihydro-1H-pyrrole

or a pharmaceutically acceptable salt or stereoisomer thereof.

## 14. (Currently amended) A compound which is:

- (1S) 1-cyclopropyl 2-[(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethanamine
- (2S) 4 (2,5-difluorophenyl) 1-[(methylsulfonyl)acetyl] 2-phenyl-2,5-dihydro-1H-pyrrole
- (2S) 4 (2,5 difluorophenyl) 2-phenyl-1-[(phenylsulfonyl)acetyl] 2,5 dihydro-1H-pyrrole
- 3-[(2S) 1-[(2S) 2-cyclopropyl 2-hydroxyethanoyl] 4-(2,5-difluorophenyl) 2,5-dihydro-1H-pyrrol-2-yl]phenol
- 3-{(2S) 4-(2,5-difluorophenyl) 1-[(2S) 2-hydroxy 3,3-dimethylbutanoyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol
- (1S) 1-cyclopropyl 2 [(2S) 4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethanol
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydrofuran-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(2-methoxyethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- (2S)-4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-tetrahydro-2H-pyran-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 3-[(2S)-4-(2,5-difluorophenyl)-1-(piperidin-1-ylcarbonyl)-2,5-dihydro-1H-pyrrol-2-yl]phenol
- 4-(2,5-difluorophenyl)-N-[1-(2-fluoroethyl)piperidin-4-yl]-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

- 4-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]piperidinium trifluoroacetate
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl 4-methylpiperazine-1-carboxylate
- 3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl morpholine-4-carboxylate
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-5-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl dimethylaminocarboxylate
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl piperidine-1-carboxylate
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(2-oxopyrrolidin-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(tetrahydro-2H-pyran-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide

- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(4-methyl-1,2,5-oxadiazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(isoxazol-3-ylmethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-5-oxopyrrolidin-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-(1-isoxazol-3-ylethyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-N-(1,3-dioxolan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide

- 4-(2,5-difluorophenyl)-N-(1,4-dioxan-2-ylmethyl)-2-(3-hydroxyphenyl)-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-methyl-1,3,4-oxadiazol-2-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethanesulfonic acid
- 2-hydroxyethyl (1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2,2-dimethylpropylcarbamate
- 3 hydroxypropyl (1S) 1-{[(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1H-pyrrol 1-yl]carbonyl} -2,2-dimethylpropylcarbamate
- 2-hydroxyethyl {(1S)-1-isopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate
- 2-hydroxyethyl {(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}carbamate
- 4 hydroxybutyl (1S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl]carbonyl} 2,2 dimethylpropylcarbamate
- (2S) 4 (2,5 difluorophenyl) 1-[2-(methylsulfonyl)ethyl] 2-phenyl-2,5 dihydro 1H-pyrrole
- (2S) 4-(2,5-difluorophenyl) 1-[2-(ethylsulfonyl)ethyl] 2-phenyl-2,5-dihydro-1H-pyrrole
- 1-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]pentan-3-one
- 4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butan-2-one
- 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 3 methylbutan 2 one
- 2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*,*N*-dimethylethanesulfonamide
- 3-{(2S)-4-(2,5-difluorophenyl)-1-[2 (methylsulfonyl)ethyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol

methyl 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate

(2S)-4-(2,5-difluorophenyl)-1-[2-(ethylsulfonyl)propyl]-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*-methylpropanamide

3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*,*N*-dimethylpropanamide

3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*,*N*,2-trimethylpropanamide

4-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}morpholine 1-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}-4-(methylsulfonyl)piperazine

1-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoyl}piperidin-4-ol methyl 3 [(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]propanoate

2 ({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}oxy) N-ethylacetamide

- $4-({(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1}H-pyrrol-1-yl]-2-oxoethoxy}acetyl)morpholine$
- 2 {(1S)-1 cyclopropyl-2 [(2S)-4 (2,5-difluorophenyl) 2 phenyl-2,5 dihydro-1H pyrrol-1 yl] 2-oxoethoxy} N (2-hydroxyethyl)acetamide
- $\frac{1 (\{(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 diffuorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethoxy}{acetyl) 4 methylpiperazine}$
- 1-({(1S) 1 cyclopropyl-2 [(2S) 4-(2,5-difluorophenyl)-2 phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethoxy}acetyl)piperazine
- 2-{(1S)-1-cyclopropyl 2-[(2S)-4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethoxy}-N-piperidin-4-ylacetamide
- 1-({(1S) 1 cyclopropyl 2 [(2S) 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1*H*-pyrrol-1-yl] 2-oxoethoxy}acetyl)piperidin 4 amine

 $N = \{(1S) - 1 - \text{cyclopropyl} - 2 - \{(2S) - 4 - (2,5 - \text{difluorophenyl}) - 2 - \text{phenyl} - 2,5 - \text{dihydro} - 1H - pyrrol} - 1 - yl] - 2 - \text{oxoethyl} - 3 - \text{morpholin} - 4 - yl - 3 - \text{oxopropan} - 1 - \text{amine}$ 

 $N^3$ -{(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-2-oxoethyl}  $N^1$ , $N^1$ -dimethyl- $\beta$ -alaninamide

((1S)-1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]carbonyl}-2,2-dimethylpropyl)(3-morpholin-4-yl-3-oxopropyl)amine

or a pharmaceutically acceptable salt thereof.

15. (Currently amended) The compound according to Claim 12 which is the TFA salt of a compound selected from:

2-{[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]sulfonyl}-N,N-dimethylethanamine;

1-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-methyl-1-oxopropan-2-amine;

4 (5 chloro 2 fluorophenyl) 2 phenyl 1 (trifluoroacetyl) 2,5 dihydro 1H pyrrole;

(1S) 1-{[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2-methylpropylamine;

(1R) 1 {[4 (2,5 difluorophenyl) 2 phonyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 2 methylpropylamine;

4-(2,5-difluorophenyl)-2-phenyl-1-L-prolyl-2,5-dihydro-1H-pyrrole;

4-(2,5 difluorophenyl) 2 phenyl-1-D-prolyl-2,5 dihydro-1H-pyrrole;

(4R) 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-1,3-thiazolidine;

methyl (3S) 3 amino 4 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 4 oxobutanoate;

(4S) 4 amino 5 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 5 oxopentanamide;

(1S) 1-{[4 (2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylthio)propylamine;

(1S) 1-{[4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3-(methylsulfonyl)propylamine;

(2S) 2-{[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl}piperidine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}pentylamine;

(1S) 2-[4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] 2-oxo-1 (thien 2-ylmethyl)ethylamine;

4 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl}-1,1 dioxidotetrahydro 2H thiopyran 4 ylamine;

(2S) 1-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro 1H-pyrrol-1-yl] N-methyl-1-oxopropan-2-amine;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} propylamine;

(1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo 1 phenylethanamine; (1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo 1 phenylethanamine;

- (4S) 4-amino-5 [4-(2,5-difluorophenyl) 2-phenyl 2,5 dihydro-1H-pyrrol-1-yl]-5-oxopentanamide
- 3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;
- (1S,2S) 1-{[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro 1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;
- (1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} butylamine;
- (1S) 1-cyclopropyl-2-[4 (2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopropanamine;
- 1-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-oxopropan-2-amine;
- (1S) 2 [4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl]-1-methyl 2-oxoethylamine;
- (1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo 1 (pyridin 2-ylmethyl)ethylamine;
- (1S) 1-cyclohexyl-2 [4 (2,5-difluorophenyl)-2-phenyl-2,5 dihydro-1H-pyrrol-1-yl]-2-oxoethanamine;
- (1S) 2-[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H pyrrol 1-yl] 1-(4-iodobenzyl) 2-oxoethylamine;
- (1S) 1-benzyl 2-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethylamine;
- 4-{(2S) 2-amino-3-[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropyl}phenol;

(3S) 3 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} 1,2,3,4 tetrahydroisoquinoline;

(1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl]carbonyl} 3-phenylpropylamine;

(1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl]carbonyl} 3-methylbutylamine;

(1S) 2 [4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol-1-yl] 2-oxo-1 (pyridin-3-ylmethyl)ethylamine;

1-[(2S) azetidin 2 ylcarbonyl] 4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrole;

(3S) 3 amino 4 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 4 oxobutanamide;

4-(2,5-difluorophenyl)-1-[(2-methylazetidin-2-yl)carbonyl]-2-phenyl-2,5-dihydro-1H-pyrrole;

(1S) 1-{[4-(2,5 difluorophenyl) 2-phenyl 2,5 dihydro-1H pyrrol-1-yl]carbonyl}-2,2-dimethylpropylamine;

methyl (4S) 4 amino 5 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 5 exopentanoate;

4 (2,5 difluorophenyl) 2 phenyl 1 {[(2S,3S) 2-phenylpyrrolidin 3-yl]carbonyl} 2,5 dihydro 1H-pyrrole;

4-(2,5 difluorophenyl)-2-phenyl-1-[(5-phenylpyrrolidin-3-yl)carbonyl]-2,5-dihydro-1H-pyrrole;

(2S) 2 amino 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl] 3 oxopropan 1-ol;

(2R,3S) 3 amino 4 [4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 4 oxobutan 2-ol;

(1S) 2-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-(methoxymethyl)-2-oxoethylamine;

4-(2,5-difluorophenyl) 2-phenyl-1-(pyrrolidin-3-ylcarbonyl) 2,5-dihydro 1H-pyrrole;

4-(2,5-difluorophenyl)-2 phenyl-1-[(3-phenylpyrrolidin-3-yl)acetyl]-2,5-dihydro-1H-pyrrole;

(1S) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-3,3-difluoropropylamine;

(1S) 3-[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol 1-yl] 3-oxo-1-phenylpropan-1-amine;

4-(2,5-difluorophenyl) 2-phenyl-1-[(4S) 4-phenyl-L-prolyl]-2,5-dihydro-1H-pyrrole;

1-{2-[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethyl}cyclohexanamine;

2-[4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethanamine;

4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}piperidin-4-amine;

(1S,3R) 3-{[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;

(1R,4S) 4-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopent 2-en-1-amine;

(1S,4R) 4 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} cyclopent 2 en 1 amine;

(1S) 1-{[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-ynylamine;

(1R) 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 3-oxo 1-phenylpropan 1 amine;

3-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-phenylpiperidine;

(1S) 1 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro-1H pyrrol 1 yl]carbonyl} but 3 enylamine;

(2S) 3 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 (methylamino) 3 oxopropan 1 ol;

(3R,5S) 5 {[4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl]carbonyl}pyrrolidin-3-ol;

(1S) 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxo 1 (1,3 thiazol 4 ylmethyl)ethylamine;

(1R) 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}but-3-enylamine;

(2S) 1 [4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] N,3-dimethyl-1-oxobutan-2-amine;

(2S) 1-[4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N,4-dimethyl-1-oxopentan-2-amine;

(1S) 2-[4 (2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-1-[(1-methyl-1H-imidazol-4-yl)methyl]-2-exoethylamine;

4 (2,5 difluorophenyl) 1 (N-6-formyl L lysyl) 2 phenyl 2,5 dihydro 1H-pyrrole;

- (2S,3S) 1 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] N,3 dimethyl 1 exopentan 2 amine;
- (1S) 1 (cyclohexylmethyl) 2 [4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethylamine;
- (1S) 2 [4 (2,5-difluorophenyl) 2 phenyl 2,5-dihydro-1H-pyrrol 1-yl] 1 (1H-indol 3-ylmethyl) 2-oxoethylamine;
- (1S) 2-[4 (2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H pyrrol 1-yl] 1 (isocyanomethyl) 2-oxoethylamine;
- (1S) 1-{[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol-1-yl]carbonyl}-3,3-dimethylbutylamine;
- 1-[4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H pyrrol 1-yl]-2,3-dimethyl 1-oxobutan-2-amine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclohexanamine;
- 1-{[4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}cyclopentanamine;
- (1S) 3 (benzyloxy) 1-{[4 (2,5-difluorophenyl)-2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}propylamine;
- 1-[4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol 1-yl]-2,3-dimethyl-1-oxobutan-2-amine;
- 1-{[4-(2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl} cyclopent 3 en 1-amine;

- (1S) 1 cyclopentyl 2 [4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 exoethanamine;
- 4 (2,5 difluorophenyl) 1 (2 methylprolyl) 2 phenyl 2,5 dihydro 1H pyrrole;
- -(1S) 2 [4 (5-chloro 2 fluorophenyl) 2-phenyl 2,5-dihydro 1H pyrrol 1-yl] 1-cyclopropyl 2-oxoethanamine;
- (1S,2S) 1-{[4 (5 chloro-2-fluorophenyl)-2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}-2-methylbutylamine;
- (1S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1-yl]carbonyl} but 3 enylamine;
- (1S) 1-{[(2S)-4 (2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]carbonyl} but-3-ynylamine;
- (1S) 1-cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2-phenyl-2,5 dihydro-1H-pyrrol-1-yl] 2-oxoethanamine;
- 1-cyclopropyl-3-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-3-oxopropan-1-amine;
- (1S,2S) 1 {[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 -yl]carbonyl} 2 methylbutylamine;
- 4 (2,5 difluorophenyl) 2 (3 hydroxyphenyl) 1-L valyl-2,5 dihydro-1H-pyrrole;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-1-(2-methylalanyl)-2,5-dihydro-1H-pyrrole;
- 3-[1-[(2S) 2 amino 2 cyclopropylethanoyl] 4 (5 chloro 2 fluorophenyl) 2,5 dihydro 1H pyrrol 2-yl]phenol;

- 4-(5-chloro 2-fluorophenyl) 2-(3-hydroxyphenyl) 1-L-isoleucyl 2,5-dihydro-1H-pyrrole;
- (2S)-4-(2,5-Difluorophenyl)-N-methyl-2-phenyl-N-(piperidin-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-Chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3R)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(5-chloro-2-fluorophenyl)-N-methyl-2-phenyl-N-[(3S)-pyrrolidin-3-yl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-pyrrolidin-3-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- (2S)-N-(1-allylpiperidin-4-yl)-4-(2,5-difluorophenyl)-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-Difluorophenyl)-N-methyl-N-[(1-methylpiperidin-3-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(pyridin-3-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-N-[2-(dimethylamino)ethyl]-N-methyl-2-phenyl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-N-methyl-2-phenyl-N-(2-pyridin-2-ylethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(5-chloro-2-fluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-piperidin-4-yl-2,5-dihydro-1H-pyrrole-1-carboxamide;

(2S) 1 [4 (2,5 difluorophenyl) 2 methyl 2 phenyl 2,5 dihydro 1H pyrrol 1-yl] 3 methyl 1-oxobutan 2 amine;

N-1-{(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N-2,N-2-dimethylglycinamide;

N-1-{(1S) 1 cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} N-2-methylglycinamide;

N-1-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl} glycinamide;

N 1 {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 oxoethyl} 2 methylalaninamide;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} 2 pyrrolidin 1 ylacetamide;

2-azetidin 1-yl-N-{(1S) 1-cyclopropyl 2 [(2S) 4-(2,5-difluorophenyl) 2 phenyl 2,5-dihydro 1H-pyrrol 1-yl] 2-oxoethyl}acetamide;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} 2 morpholin 4 ylacetamide;

N {(1S) 1 cyclopropyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 piperazin 1 ylacetamide;

N {(1S) 1 cyclopropyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1 yl] 2 oxoethyl} 2 (4 methylpiperazin 1 yl)acetamide;

N-1 {(1S)-1 cyclopropyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro 1H-pyrrol-1-yl]-2 oxoethyl} N-2 isopropylglycinamide;

N-{(1S) 1 cyclopropyl 2-[(2S) 4-(2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H-pyrrol 1-yl] 2-oxoethyl}piperazine 1 carboxamide;

N-{(1S)-1-cyclopropyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-N'-piperidin-4-ylurea;

4 amino N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl}piperidine 1 carboxamide;

N (2 aminoethyl) N' {(1S) 1 -cyclopropyl 2 -[(2S) 4 (2,5 -difluorophenyl) 2 -phenyl 2,5 -dihydro-1H-pyrrol 1 -yl] 2 oxoethyl} urea;

N-{(1S) 1-cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethyl} N' (3-morpholin-4-ylpropyl)urea;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} N' [2 (dimethylamino)ethyl]urea;

2-azetidin 1-yl-N-{(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethyl} ethanesulfonamide

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} 2 (isopropylamino)ethanesulfonamide;

N {(1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 exoethyl} 2 pyrrolidin 1 ylethanesulfonamide;

N-{(1S) 1 cyclopropyl 2-[(2S) 4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2-morpholin-4-ylethanesulfonamide;

N {(1S) 1 cyclopropyl-2-[(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl} 2 piperazin 1 ylethanesulfonamide;

N-{(1S) 1-cyclopropyl-2-[(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-2-oxoethyl}-2 (4-methylpiperazin-1-yl)ethanesulfonamide;

N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetamide;

2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylacetamide;

(2S)-1-(2-azetidin-1-yl-2-oxoethyl)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

(2S)-4-(2,5-difluorophenyl)-1-(2-oxo-2-pyrrolidin-1-ylethyl)-2-phenyl-2,5-dihydro-1H-pyrrole;

4-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}morpholine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}piperazine;

1-{[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]acetyl}-4-methylpiperazine;

 $\hbox{$2$-[(2S)-4-(2,5-diffuor ophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropyl butanamide;}$ 

- 4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]butanoyl}morpholine;
  2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylacetamide;
  N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-ethylpropanamide;
  2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
  N-cyclobutyl-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-methylpropanamide;
  2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]-N-isopropylpropanamide;
  N-(tert-butyl)-2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanamide;
  4-{2-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
  (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H pyrrol-1 yl] N ethyl-2,2-dimethyl-4-oxobutanamide;
- (3S) 3-amino 4 [(2S) 4-(2,5-difluorophenyl) 2-phenyl-2,5-dihydro 1H-pyrrol-1-yl] 2,2-dimethyl 4-oxo N-piperidin-4-ylbutanamide;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,2 dimethyl 4 oxobutanoic acid;
- (3S) 3-amino 4-[(2S) 4-(2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] N,N,2,2-tetramethyl 4-oxobutanamide;
- (1S) 1-{[(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro 1H-pyrrol-1 yl]carbonyl}-2,2-dimethyl 3 oxo 3 piperazin-1 ylpropylamine;

- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] N isopropyl 2,2 dimethyl 4 oxobutanamide;
- (3S) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] N,2,2 trimethyl 4 oxobutanamide;
- (3R) 3-amino-4-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl] N,N,2,2-tetramethyl-4-oxobutanamide;
- (3R) 3 amino 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2,2 dimethyl 4 oxobutanoic acid;
- (1R) 1-{[(2S) 4 (2,5 difluorophenyl) 2-phenyl 2,5 dihydro 1H pyrrol 1 yl]carbonyl}-2,2-dimethyl 3 oxo 3 piperazin 1 ylpropylamine
- (1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethyl 4 methylpiperazine 1 carboxylate;
- (1S) 1-cyclopropyl-2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl-2,5 dihydro-1H-pyrrol-1-yl] 2-oxoethyl 1-methylpiperidin-4-ylcarbamate;
- (1S) 1 cyclopropyl 2 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H pyrrol 1 yl] 2 oxoethylmethyl(1 methylpiperidin 4 yl)carbamate;
- (1S) 1-cyclopropyl-2 [(2S) 4-(2,5-difluorophenyl) 2 phenyl-2,5-dihydro-1H-pyrrol-1-yl] 2-oxoethyl-4-dimethylamino)piperidine 1-carboxylate;
- (2S) N,N dimethyl 4 (4-methylpyridin 3-yl) 2-phenyl 2,5 dihydro-1H-pyrrole-1-carboxamide;
- 4-{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]acetyl} morpholin-4-ium;

- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-*N*-methyl-*N*-piperidin-4-yl-2,5-dihydro-1*H*-pyrrole-1-carboxamide;
- 2-[{[4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-2,5-dihydro-1H-pyrrol-1-yl]carbonyl}(methyl)amino]ethyl-4-methylpiperazine-1-carboxylate;
- 3-{4-(2,5-difluorophenyl)-1-[(4-methylpiperazin-1-yl)carbonyl]-2,5-dihydro-1H-pyrrol-2-yl}phenol;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluoro-phenyl)-2,5-dihydro-2-(3-hydroxyphenyl)-N-methyl-N--[2-(4-methyl-1-piperazinyl)-2-oxoethyl]-H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[(5-oxo-4,5-dihydro-1H-1,2,4-triazol-3-yl)methyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-{[5-(methoxymethyl)-1H-pyrazol-3-yl]methyl}-N-methyl-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-4-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-(1,3-thiazol-2-ylmethyl)-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-1,2,4-triazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4-(2,5-difluorophenyl)-2-(3-hydroxyphenyl)-N-methyl-N-[2-(1H-pyrazol-1-yl)ethyl]-2,5-dihydro-1H-pyrrole-1-carboxamide;
- 4 [(2S) 4 (2,5 difluorophenyl) 2 phenyl 2,5 dihydro 1H-pyrrol 1-yl]butan 2 one;
- 4 [(2S) 4 (2,5-difluorophenyl) 2-phenyl 2,5-dihydro 1H-pyrrol 1-yl] 3-methylbutan 2-one;
- $3-[(2S)-4-(2,5-\text{difluorophenyl})-2-\text{phenyl}-2,5-\text{dihydro}-1H-\text{pyrrol}-1-\text{yl}]-\underline{N}-\text{methylpropanamide};$

- 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*,*N*-dimethylpropanamide;
- 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1*H*-pyrrol-1-yl]-*N*,*N*,2-trimethylpropanamide;
- 4-{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoyl}morpholine;
- $1-\{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]$  propanoyl $\}$ -4-(methylsulfonyl)piperazine;
- $1-\{3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]$  propanoyl} piperidin-4-ol; and
- methyl 3-[(2S)-4-(2,5-difluorophenyl)-2-phenyl-2,5-dihydro-1H-pyrrol-1-yl]propanoate.
- 16. (original) A pharmaceutical composition that is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.

17. - 42. (Cancelled)